

# ExamBoosts

## Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.

15+  
YEARS IN BUSINESS

53697+  
SUCCESSFUL CASES


53207+  
SATISFIED CLIENTS

53297+  
THE NUMBER OF CONSULTING

## TRY BEFORE YOU BUY

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.



### 365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



### Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.



### Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



### Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.

<http://www.examboosts.com/>

Reliable & Efficient Test Practice Questions to Satisfy All Candidates

**Exam** : **MD-102-JPN**

**Title** : **Endpoint Administrator  
(MD-102日本語版)**

**Vendor** : **Microsoft**

**Version** : **DEMO**

**QUESTION NO: 1**

デバイス管理要件を満たすソリューションを推奨する必要があります。

推奨事項には何を含めるべきですか？

回答するには、回答領域で適切なオプションを選択してください。

注意: 正しい選択ごとに 1 ポイントが付与されます。

**For the Research department employees:**

<input type="checkbox"/>
An app configuration policy
An app protection policy
Azure information Protection
iOS app provisioning profiles

**For the Sales department employees:**

<input type="checkbox"/>
An app configuration policy
An app protection policy
Azure information Protection
iOS app provisioning profiles

**Answer:**

**For the Research department employees:**

<input checked="" type="checkbox"/>
An app configuration policy
An app protection policy
Azure information Protection
iOS app provisioning profiles

**For the Sales department employees:**

<input checked="" type="checkbox"/>
An app configuration policy
An app protection policy
Azure information Protection
iOS app provisioning profiles

Explanation:

**For the Research department employees:**

<input type="checkbox"/>
<b>An app configuration policy</b>
<b>An app protection policy</b>
<b>Azure information Protection</b>
<b>iOS app provisioning profiles</b>

**For the Sales department employees:**

<input type="checkbox"/>
<b>An app configuration policy</b>
<b>An app protection policy</b>
<b>Azure information Protection</b>
<b>iOS app provisioning profiles</b>

Reference:

<https://github.com/MicrosoftDocs/IntuneDocs/blob/master/intune/app-protection-policy.md>

<https://docs.microsoft.com/en-us/azure/information-protection/configure-usage-rights#do-not-forward-option-for-emails>

Topic 1, Litware inc

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. When you are ready to answer a question, click the Question button to return to the question.

Existing Environment

Current Business Model

The Los Angeles office has 500 developers. The developers work flexible hours ranging from 11:00 to 22:00.

Litware has a Microsoft System Center 2012 R2 Configuration Manager deployment. During discovery, the company discovers a process where users are emailing bank account information of its customers to internal and external recipients.

Current Environment

The network contains an Active Directory domain that is synced to Microsoft Azure Active Directory (Azure AD). The functional level of the forest and the domain is Windows Server 2012 R2. All domain controllers run Windows Server 2012 R2.

Litware has the computers shown in the following table.

Department	Windows version	Management platform	Domain-joined
Marketing	8.1	Configuration Manager	Hybrid Azure AD-joined
Research	10	Configuration Manager	Hybrid Azure AD-joined
HR	8.1	Configuration Manager	Hybrid Azure AD-joined
Developers	10	Microsoft Intune	Azure AD-joined
Sales	10	Microsoft Intune	Azure AD-joined

The development department uses projects in Azure DevOps to build applications. Most of the employees in the sales department are contractors. Each contractor is assigned a computer that runs Windows 10. At the end of each contract, the computer is assigned to different contractor. Currently, the computers are re-provisioned manually by the IT department.

#### Problem Statements

Litware identifies the following issues on the network:

Employees in the Los Angeles office report slow Internet performance when updates are downloading. The employees also report that the updates frequently consume considerable resources when they are installed.

The Update settings are configured as shown in the Updates exhibit. (Click the Updates button.) Management suspects that the source code for the proprietary applications in Azure DevOps is being shared externally.

Re-provisioning the sales department computers is too time consuming.

#### Requirements

##### Business Goals

Litware plans to transition to co-management for all the company-owned Windows 10 computers. Whenever possible, Litware wants to minimize hardware and software costs.

##### Device Management Requirements

Litware identifies the following device management requirements:

Prevent the sales department employees from forwarding email that contains bank account information.

Ensure that Microsoft Edge Favorites are accessible from all computers to which the developers sign in.

Prevent employees in the research department from copying patented information from trusted applications to untrusted applications.

##### Technical Requirements

Litware identifies the following technical requirements for the planned deployment:

Re-provision the sales department computers by using Windows AutoPilot.

Ensure that the projects in Azure DevOps can be accessed from the corporate network only.

Ensure that users can sign in to the Azure AD-joined computers by using a PIN. The PIN must expire every

30 days.

Ensure that the company name and logo appears during the Out of Box Experience (OOBE) when using Windows AutoPilot.

Exhibits

The screenshot shows the Windows Settings application window titled "Settings" with the subtitle "Windows 10 and later". The window is divided into two main sections: "Update settings" and "User experience settings".

**Update settings:**

- Servicing channel: Semi-Annual Channel (Targeted) (dropdown menu)
- \* Microsoft product updates: Allow (selected) / Block
- \* Windows drivers: Allow (selected) / Block
- \* Quality update deferral period (days): 7
- \* Feature update deferral period (days): 14
- \* Set feature update uninstall period (2 – 60 days): 10

**User experience settings:**

- Automatic update behavior: Auto install at maintenance time (dropdown menu)
- Active hours start: 8 AM
- Active hours end: 5PM
- Restart checks: Allow (selected) / Skip
- Delivery optimization download mode: Simple download mode with no peering (dropdown menu)

An "OK" button is located at the bottom left of the settings window.

## QUESTION NO: 2

技術要件を満たすには、営業部門のコンピュータに必要な情報を収集する必要があります。最初に実行する必要がある Windows PowerShell コマンドはどれですか？

- A. インストール モジュール WindowsAutoPilotIntune
- B. インストール スクリプト Get-WindowsAutoPilotInfo

- C. インポート-AutoPilotCSV
- D. Get-WindowsAutoPilotInfo

**Answer:** B

References:

<https://docs.microsoft.com/en-us/windows/deployment/windows-autopilot/existing-devices>

" This topic describes how to convert Windows 7 or Windows 8.1 domain-joined computers to Windows 10 devices joined to either Azure Active Directory or Active Directory (Hybrid Azure AD Join) by using Windows Autopilot "

### **QUESTION NO: 3**

Windows AutoPilot の OOBЕ 要件を満たす必要があります。

Azure Active Directory ブレードから構成する必要がある 2 つの設定はどれですか？

回答するには、回答領域で適切な設定を選択します。

注意: 正しい選択ごとに 1 ポイントが付与されます。

## **i Overview**

Getting started

### **Manage**

Users

Groups

Organizational relationships

Roles and administrators

Enterprise applications

Devices

App registrations

App registrations (Preview)

Application proxy

Licenses

Azure AD Connect

Custom domain names

Mobility (MDM and MAM)

Password reset

Company branding

User settings

Properties

Notifications settings

***Answer:***

## **Overview**

Getting started

### **Manage**

Users

Groups

Organizational relationships

Roles and administrators

Enterprise applications

Devices

App registrations

App registrations (Preview)

Application proxy

Licenses

Azure AD Connect

Custom domain names

Mobility (MDM and MAM)

Password reset

Company branding

User settings

Properties

Notifications settings

Explanation:

Enterprise applications
Devices
App registrations
App registrations (Preview)
Application proxy
Licenses
Azure AD Connect
Custom domain names
Mobility (MDM and MAM)
Password reset
Company branding
User settings
Properties
Notifications settings

Reference:

<https://blogs.msdn.microsoft.com/sgern/2018/10/11/intune-intune-and-autopilot-part-3-preparing-your-environment/>

<https://blogs.msdn.microsoft.com/sgern/2018/11/27/intune-intune-and-autopilot-part-4-enroll-your-first-device/>

#### QUESTION NO: 4

Azure AD

に参加しているコンピューターの技術要件を満たすには、何を構成する必要がありますか？

- A. Azure ポータルの Microsoft Intune ブレードからの Windows Hello for Business。
- B. エンドポイント保護プロファイルのアカウント オプション。

C. グループ ポリシー オブジェクト (GPO) 内のパスワード ポリシー設定。

D. Microsoft Office 365 ポータルからのパスワード ポリシー。

**Answer: A**

References:

<https://docs.microsoft.com/en-us/windows/security/identity-protection/hello-for-business/hello-manage-inorganization>

#### QUESTION NO: 5

□サンゼルス オフィスのパフォーマンス問題を解決する必要があります。

更新設定をどのように構成すればよいですか？

回答するには、回答領域で適切なオプションを選択してください。

注意: 正しい選択ごとに 1 ポイントが付与されます。

**Change Delivery Optimization  
download mode to:**

Bypass mode
HTTP blended with internet peering
HTTP blended with peering behind same NAT
Simple download mode with no peering

**Update Active Hours Start to:**

10 AM
11 AM
10 PM
11 PM

**Update Active Hours End to:**

10 AM
11 AM
10 PM
11 PM

**Answer:**

**Change Delivery Optimization download mode to:**

<b>Bypass mode</b>
<b>HTTP blended with internet peering</b>
<b>HTTP blended with peering behind same NAT</b>
<b>Simple download mode with no peering</b>

**Update Active Hours Start to:**

<b>10 AM</b>
<b>11 AM</b>
<b>10 PM</b>
<b>11 PM</b>

**Update Active Hours End to:**

<b>10 AM</b>
<b>11 AM</b>
<b>10 PM</b>
<b>11 PM</b>

Explanation:

**Change Delivery Optimization download mode to:**

<b>Bypass mode</b>
<b>HTTP blended with internet peering</b>
<b>HTTP blended with peering behind same NAT</b>
<b>Simple download mode with no peering</b>

**Update Active Hours Start to:**

<b>10 AM</b>
<b>11 AM</b>
<b>10 PM</b>
<b>11 PM</b>

**Update Active Hours End to:**

<b>10 AM</b>
<b>11 AM</b>
<b>10 PM</b>
<b>11 PM</b>

Reference:

<https://docs.microsoft.com/en-us/windows/deployment/update/waas-delivery-optimization>

<https://2pintsoftware.com/delivery-optimization-dl-mode/>

### QUESTION NO: 6

Azure DevOps の技術要件を満たすには何を使用すればよいですか？

- A. アプリ保護ポリシー
- B. Windows 情報保護 (WIP)
- C. 条件付きアクセス
- D. デバイス構成プロファイル

**Answer:** D

References:

<https://docs.microsoft.com/en-us/azure/devops/organizations/accounts/manage-conditional-access?view=azure-devops>

#### QUESTION NO: 7

開発者向けのデバイス管理要件を満たす必要があります。  
何を実装すべきでしょうか？

- A. フォルダのリダイレクト
- B. エンタープライズ ステート ローミング
- C. ホームフォルダ
- D. Microsoft OneDrive の既知のフォルダー リダイレクト

**Answer:** B

Explanation:

Litware identifies the following device management requirements:

Ensure that Microsoft Edge Favorites are accessible from all computers to which the developers sign in.

Enterprise State Roaming allows for the synchronization of Microsoft Edge browser setting, including favorites and reading list, across devices.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/devices/enterprise-state-roaming-windows-settings- reference>


#### QUESTION NO: 8

Windows AutoPilot の技術要件を満たす必要があります。


Azure Active Directory ブレードから構成する必要がある 2 つの設定はどれですか？

回答するには、回答領域で適切な設定を選択します。


注意: 正しい選択ごとに 1 ポイントが付与されます。



**Answer:**



Explanation:



References:

<https://docs.microsoft.com/en-us/windows/deployment/windows-autopilot/windows-autopilot-reset>

**QUESTION NO: 9**

共同管理をサポートするように環境を構成する前に、何をアップグレードする必要がありますか？

- A. ドメインの機能レベル
- B. 構成マネージャー
- C. ドメイン コントローラ

**D. Windows Server 更新サービス (WSUS)****Answer:** B

References:

<https://docs.microsoft.com/en-us/sccm/comanage/tutorial-co-manage-clients>

Topic 2, Case Study Contoso, Ltd.Overview

Contoso, Ltd. is a consulting company that has a main office in Montreal and branch offices in Seattle and New York.

Contoso has a Microsoft 365 E5 subscription.

Network Environment

The network contains an on-premises Active domain named Contoso.com. The domain contains the servers shown in the following table.

Name	Operating system	Role
DC1	Windows Server 2019	Domain controller
Server1	Windows Server 2016	Member server
Server2	Windows Server 2019	Member server

Contoso has a hybrid Azure Active Directory (Azure AD) tenant named Contoso.com.

Contoso has a Microsoft Store for Business instance.

Users and Groups

The Contoso.com tenant contains the users shown in the following table.

Name	Azure AD role	Microsoft Store for Business role	Member of
User1	Cloud device administrator	Basic Purchaser	GroupA
User2	Azure AD joined device local administrator	Device Guard signer	GroupB
User3	Global reader	Purchaser	GroupA, GroupB
User4	Global administrator	None	Group1

All users are assigned a Microsoft Office 365 license and an Enterprise Mobility + Security E3 license.

Enterprise State Roaming is enabled for Group1 and GroupA.

Group and Group have a Membership type of Assign

Devices

Contoso has the Windows 10 devices shown in the following table.

Name	Type	Member of	Scope (Tags)
Device1	Corporate-owned	Group1	Default
Device2	Corporate-owned	Group1, Group2	Tag2
Device3	Personally-owned	Group1	Tag1
Device4	Personally-owned	Group2	Tag2
Device5	Corporate-owned	Group3	Default

The Windows 10 devices are joined to Azure AD and enrolled in Microsoft intune.

The Windows 10 devices are configured as shown in the following table.

Name	BitLocker Drive Encryption (BitLocker)	Secure Boot	VPN connection
Device1	Yes	No	VPN1
Device2	Yes	Yes	VPN1, VPN3
Device3	No	No	VPN3
Device4	No	Yes	None
Device5	Yes	No	None

All the Azure AD joined devices have an executable file named C:\AppA.exe and a folder named D:\Folder 1.

#### Microsoft Endpoint Manager Configuration

Microsoft Endpoint Manager has the compliance policies shown in the following table.

The Compliance policy settings are shown in the following exhibit.

These settings configure the way the compliance service treats devices. Each device evaluates these as a "Built-in Device Compliance Policy", which is reflected in device monitoring.

Mark devices with no compliance policy assigned as  Compliant  Not Compliant

Enhanced jailbreak detection  Enabled  Disabled

Compliance status validity period (days)  ✓

The Automatic Enrolment settings have the following configurations:

\* MDM user scope GroupA

\* MAM user scope: GroupB

You have an Endpoint protection configuration profile that has the following Controlled folder access settings:

\* Name: Protection1

\* Folder protection: Enable

\* List of apps that have access to protected folders: CV\AppA.exe

\* List of additional folders that need to be protected: D:\Folder1

\* Assignments

Windows Autopilot Configuration

## Create profile ...

Windows PC

✓ Basics   ✓ Out-of-box experience (OOBE)   ✓ Assignments   **4 Review + create**

### Summary

#### Basics

Name	Profile1
Description	--
Convert all targeted devices to Autopilot	Yes
Device type	Windows PC

#### Out-of-box experience (OOBE)

Deployment mode	User-Driven
Join to Azure AD as	Azure AD joined
Skip AD connectivity check (preview)	No
Language (Region)	Operating system default
Automatically configure keyboard	Yes
Microsoft Software License Terms	Hide
Privacy settings	Hide
Hide change account options	Hide
User account type	Standard
Allow White Glove OOBE	No
Apply device name template	No

Currently, there are no devices deployed by using Windows Autopilot

The Intune connector for Active Directory is installed on Server 1.

#### Planned Changes

Contoso plans to implement the following changes:

- \* Purchase a new Windows 10 device named Device6 and enroll the device in Intune.
- \* New computers will be deployed by using Windows Autopilot and will be hybrid Azure AD joined.
- \* Deploy a network boundary configuration profile that will have the following settings:
  - \* Name Boundary 1
  - \* Network boundary 192.168.1.0/24
  - \* Scope tags: Tag 1
  - \* Assignments;
  - \* included groups: Group 1. Group2

\* Deploy two VPN configuration profiles named Connection1 and Connection2 that will have the following settings:

\* Name: Connection 1

\* Connection name: VPN1

\* Connection type: L2TP

\* Assignments:

\* Included groups: Group1, Group2, GroupA

\* Excluded groups: -

\* Name: Connection

\* Connection name: VPN2

\* Connection type: IKEv2 i Assignments:

\* included groups: GroupA

\* Excluded groups: GroupB

\* Purchase an app named App1 that is available in Microsoft Store for Business and to assign the app to all the users.

Technical Requirements

Contoso must meet the following technical requirements:

\* Users in GroupA must be able to deploy new computers.

\* Administrative effort must be minimized.

#### QUESTION NO: 10

App1 を購入して割り当てることができるのはどのユーザーですか？

A. ユーザー3のみ

B. ユーザー1とユーザー3のみ

C. ユーザー1、ユーザー2、ユーザー3、ユーザー4

D. ユーザー1、ユーザー3、ユーザー4のみ

E. ユーザー3とユーザー4のみ

**Answer:** B

Reference:

<https://docs.microsoft.com/en-us/microsoft-store/acquire-apps-microsoft-store-for-business>

<https://docs.microsoft.com/en-us/microsoft-store/assign-apps-to-employees>

#### QUESTION NO: 11

お客様は、Microsoft Intuneに登録された1,000台のWindows 11デバイスを含むMicrosoft 365サブスクリプションを所有しています。

あなたは、複数のインストールファイルを含むApp1という名前のアプリケーションをIntuneを使用して展開する予定です。

まず最初に何をすべきでしょうか？

A. Microsoft Win32 コンテンツ準備ツールを使用して、App1 の内容を準備します。

B. Microsoft Deployment Toolkit (MDT) をインストールします。

C. Androidアプリケーションパッケージ(APK)を作成します。

D. App1 の内容を Intune にアップロードします。

**Answer:** A

#### QUESTION NO: 12

---

次の各文について、正しい場合は「はい」を選択してください。そうでない場合は「いいえ」を選択してください。

注意: 正しい選択ごとに 1 ポイントが付与されます。

Statements	Yes	No
Device1 is marked as compliant.	<input type="radio"/>	<input type="radio"/>
Device4 is marked as compliant.	<input type="radio"/>	<input type="radio"/>
Device5 is marked as compliant.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
Device1 is marked as compliant.	<input checked="" type="radio"/>	<input type="radio"/>
Device4 is marked as compliant.	<input type="radio"/>	<input checked="" type="radio"/>
Device5 is marked as compliant.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

Statements	Yes	No
Device1 is marked as compliant.	<input type="radio"/>	<input type="radio"/>
Device4 is marked as compliant.	<input type="radio"/>	<input type="radio"/>
Device5 is marked as compliant.	<input type="radio"/>	<input type="radio"/>

#### QUESTION NO: 13

どのユーザーが Device6 を Intune に登録できますか？

- A. ユーザー4とユーザー2のみ
- B. ユーザー4とユーザー1のみ
- C. ユーザー1、ユーザー2、ユーザー3、ユーザー4
- D. ユーザー4。ユーザーランド ユーザー2のみ

**Answer: C**

**QUESTION NO: 14**

次の各文について、正しい場合は「はい」を選択してください。そうでない場合は「いいえ」を選択してください。

注意: 正しい選択ごとに 1 ポイントが付与されます。

Answer Area	Statements	Yes	No
	If User1 adds a shortcut to the desktop of Device1, when User1 signs in to Device3, the same shortcut will appear on the desktop.	<input type="radio"/>	<input type="radio"/>
	If User1 sets the desktop background to blue on Device2, when User1 signs in to Device4, the desktop background will be blue.	<input type="radio"/>	<input type="radio"/>
	If User2 increases the size of the font in the command prompt of Device2, when User2 signs in to Device3, the command prompt will show the increased font size.	<input type="radio"/>	<input type="radio"/>

**Answer:**

Answer Area	Statements	Yes	No
	If User1 adds a shortcut to the desktop of Device1, when User1 signs in to Device3, the same shortcut will appear on the desktop.	<input checked="" type="radio"/>	<input type="radio"/>
	If User1 sets the desktop background to blue on Device2, when User1 signs in to Device4, the desktop background will be blue.	<input type="radio"/>	<input checked="" type="radio"/>
	If User2 increases the size of the font in the command prompt of Device2, when User2 signs in to Device3, the command prompt will show the increased font size.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

Statements	Yes	No
If User1 adds a shortcut to the desktop of Device1, when User1 signs in to Device3, the same shortcut will appear on the desktop.	<input checked="" type="radio"/>	<input type="radio"/>
If User1 sets the desktop background to blue on Device2, when User1 signs in to Device4, the desktop background will be blue.	<input type="radio"/>	<input checked="" type="radio"/>
If User2 increases the size of the font in the command prompt of Device2, when User2 signs in to Device3, the command prompt will show the increased font size.	<input type="radio"/>	<input checked="" type="radio"/>

**QUESTION NO: 15**

計画された変更に基づいて Boundary1 を実装します。

192.168.1.0/24 のネットワーク境界が適用されているデバイスはどれですか？

- A. デバイス2のみ
- B. デバイス3のみ
- C. デバイス1、デバイス2、およびデバイス5のみ
- D. デバイス 1、デバイス 2、デバイス 3、デバイス 4 のみ

**Answer: D**

Reference:

<https://docs.microsoft.com/en-us/mem/intune/configuration/network-boundary-windows>

**QUESTION NO: 16**

Microsoft Deployment Toolkit (MDT) の展開環境をお持ちです。  
標準クライアントタスクシーケンステンプレートを使用して、Windows 11を展開する予定です。

以下の操作を実行するには、タスクシーケンスを変更する必要があります。

\* ディスクをフォーマットして、Unified Extensible Firmware Interface (UEFI) をサポートするようにします。

・ リカバリパーティションを作成します。

タスクシーケンスのどの段階を変更すべきですか？

- A. プリインストール
- B. インストール後
- C. 初期化
- D. インストール

**Answer: A**

**QUESTION NO: 17**

ユーザー1とユーザー2は設定の同期を使用する予定です。

ユーザーはどのデバイスで設定の同期を使用できますか？

回答するには、回答領域で適切なオプションを選択してください。

注意: 正しい選択ごとに 1 ポイントが付与されます。

Answer Area

User1:

No devices  
Device4 and Device5 only  
Device1, Device2 and Device3 only  
Device1, Device2, Device3, Device4, and Device5

User2:

No devices  
Device4 and Device5 only  
Device1, Device2 and Device3 only  
Device1, Device2, Device3, Device4, and Device5

**Answer:**

Answer Area

User1:

No devices  
Device4 and Device5 only  
Device1, Device2 and Device3 only  
Device1, Device2, Device3, Device4, and Device5

User2:

No devices  
Device4 and Device5 only  
Device1, Device2 and Device3 only  
Device1, Device2, Device3, Device4, and Device5

Explanation:

User1:	<div style="border: 1px solid gray; padding: 2px;"><div style="background-color: #f0f0f0; padding: 2px;">▼</div><div style="padding: 2px;">No devices</div><div style="padding: 2px;">Device4 and Device5 only</div><div style="padding: 2px;">Device1, Device2 and Device3 only</div><div style="padding: 2px;">Device1, Device2, Device3, Device4, and Device5</div></div>
User2:	<div style="border: 1px solid gray; padding: 2px;"><div style="background-color: #f0f0f0; padding: 2px;">▼</div><div style="padding: 2px;">No devices</div><div style="padding: 2px;">Device4 and Device5 only</div><div style="padding: 2px;">Device1, Device2 and Device3 only</div><div style="padding: 2px; background-color: #d0d0d0;">Device1, Device2, Device3, Device4, and Device5</div></div>

Reference:

<https://www.jeffgilb.com/managing-local-administrators-with-azure-ad-and-intune/>

#### QUESTION NO: 18

Windows Autopilot 展開の一部としてコンピューター

オブジェクトを作成できることを確認する必要があります。ソリューションは技術要件を満たしている必要があります。

コンピューター オブジェクトを作成する権限を何に付与する必要がありますか？

- A. サーバー2
- B. サーバー1
- C. グループA
- D. DC1

**Answer:** B

Reference:

<https://blog.matrixpost.net/set-up-windows-autopilot-production-environment-part-2/>

#### QUESTION NO: 19

接続1と接続2の計画された変更を実装します

ユーザーがデバイス1とDevke2にサインインすると、User1のVPN

接続はいくつになりますか？ 回答するには、回答領域で適切なオプションを選択します。

注意: 正しい選択ごとに1ポイントが付与されます。

Answer Area

Device1:

1
2
3
4
5

Device2:

1
2
3
4
5

Answer:

Answer Area

Device1:

1
2
3
4
5

Device2:

1
2
3
4
5

Explanation:

Device1:

	▼
1	
2	
3	
4	
5	

Device2:

	▼
1	
2	
3	
4	
5	

**QUESTION NO: 20**

次の各文について、正しい場合は「はい」を選択してください。そうでない場合は「いいえ」を選択してください。

注意: 正しい選択ごとに 1 ポイントが付与されます。

Statements	Yes	No
User1 can create a file named D:\Folder1\file1.txt on Device4 by using Notepad.	<input type="radio"/>	<input type="radio"/>
User2 can remove D:\Folder1 from the list of protected folders on Device2.	<input type="radio"/>	<input type="radio"/>
User3 can create a file named C:\Users\User3\Desktop\file1.txt on Device2 by running a custom Windows PowerShell script.	<input type="radio"/>	<input type="radio"/>

**Answer:**

Statements	Yes	No
User1 can create a file named D:\Folder1\file1.txt on Device4 by using Notepad.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can remove D:\Folder1 from the list of protected folders on Device2.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can create a file named C:\Users\User3\Desktop\file1.txt on Device2 by running a custom Windows PowerShell script.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

Statements	Yes	No
User1 can create a file named D:\Folder1\file1.txt on Device4 by using Notepad.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can remove D:\Folder1 from the list of protected folders on Device2.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can create a file named C:\Users\User3\Desktop\file1.txt on Device2 by running a custom Windows PowerShell script.	<input type="radio"/>	<input checked="" type="radio"/>

### QUESTION NO: 21

Windows Autopilot 展開サービスを使用して登録されるデバイスはどれですか？

- A. デバイス1のみ
- B. デバイス3のみ
- C. デバイス1とデバイス3のみ
- D. デバイス1、デバイス2、デバイス3

**Answer: C**

Explanation:

Scenario: Windows Autopilot Configuration

Assignments

Included groups: Group1

Excluded groups: Group2

Device1 is member of Group1.

Device2 is member of Group1 and member of Group2.

Device3 is member of Group1.

Group1 and Group2 have a Membership type of Assigned.

Exclusion takes precedence over inclusion in the following same group type scenarios.

Reference: <https://learn.microsoft.com/en-us/mem/intune/apps/apps-inc-exl-assignments>

Topic 3, Contoso Ltd, Case 2

Overview

Contoso, Ltd, is a consulting company that has a main office in Montreal and two branch offices in Seattle and New York.

Contoso has the users and computers shown in the following table.

<b>Location</b>	<b>Users</b>	<b>Laptops</b>	<b>Desktop computers</b>	<b>Mobile devices</b>
Montreal	2,500	2,800	300	3,100
Seattle	1,000	1,100	200	1,500
New York	300	320	30	400

The company has IT, human resources (HR), legal (LEG), marketing (MKG) and finance (FIN) departments.

Contoso uses Microsoft Store for Business and recently purchased a Microsoft 365 subscription.

The company is opening a new branch office in Phoenix. Most of the users in the Phoenix office will work from home.

**Existing Environment**

The network contains an Active Directory domain named contoso.com that is synced to Microsoft Azure Active Directory (Azure AD).

All member servers run Windows Server 2016. All laptops and desktop computers run Windows 10 Enterprise.

The computers are managed by using Microsoft System Center Configuration Manager. The mobile devices are managed by using Microsoft Intune.

The naming convention for the computers is the department acronym, followed by a hyphen, and then four numbers, for example, FIN-6785. All the computers are joined to the on-premises Active Directory domain.

Each department has an organization unit (OU) that contains a child OU named Computers. Each computer account is in the Computers OU of its respective department.

**Intune Configuration**

The domain has the users shown in the following table.

Name	Role	Member of
User1	Intune administrator	GroupA
User2	<i>None</i>	GroupB

User2 is a device enrollment manager (DEM) in Intune.

The devices enrolled in Intune are shown in the following table.

Name	Platform	Encryption	Member of
Device1	Android	Disabled	Group1
Device2	iOS	Not applicable	Group2, Group3
Device3	Android	Disabled	Group2, Group3
Device4	iOS	Not applicable	Group2

The device compliance policies in Intune are configured as shown in the following table.

Name	Platform	Require encryption	Assigned
Policy1	Android	Not configured	Yes
Policy2	iOS	Not applicable	Yes
Policy3	Android	Require	Yes

The device compliance policies have the assignments shown in the following table:

Name	Include	Exclude
Policy1	Group3	<i>None</i>
Policy2	Group2	Group3
Policy3	Group1	<i>None</i>

The device limit restrictions in Intune are configured as shown in the following table.

Priority	Name	Device limit	Assigned to
1	Restriction1	15	GroupB
2	Restriction2	10	GroupA
Default	All users	5	All users

## Requirements

### Planned Changes

Contoso plans to implement the following changes:

Provide new computers to the Phoenix office users. The new computers have Windows 10 Pro preinstalled and were purchased already.

Start using a free Microsoft Store for Business app named App1.

Implement co-management for the computers.

Technical Requirements:



Microsoft Entra テナントとオンプレミスの Active Directory ドメイン サービス (AD DS) ドメインを含むハイブリッド環境があります。この環境には、次の表に示すデバイスが含まれています。

Name	Platform	Domain status
Device1	Windows 11	Workgroup
Device2	iOS	<i>Not applicable</i>

各デバイスはどの Microsoft Entra 参加タイプを使用できますか？

回答するには、回答で適切なオプションを選択します。注: 正しい選択ごとに 1 ポイントが付与されます。

Answer Area

Device1:

- Microsoft Entra joined only
- Microsoft Entra registered only
- Microsoft Entra hybrid joined only
- Microsoft Entra joined or Microsoft Entra registered only
- Microsoft Entra registered, Microsoft Entra joined, or Microsoft Entra hybrid joined**

Device2:

- Microsoft Entra joined only
- Microsoft Entra registered only**
- Microsoft Entra hybrid joined only
- Microsoft Entra joined or Microsoft Entra registered only
- Microsoft Entra registered, Microsoft Entra joined, or Microsoft Entra hybrid joined

**Answer:**

Answer Area

Device1:

- Microsoft Entra joined only
- Microsoft Entra registered only
- Microsoft Entra hybrid joined only
- Microsoft Entra joined or Microsoft Entra registered only
- Microsoft Entra registered, Microsoft Entra joined, or Microsoft Entra hybrid joined**

Device2:

- Microsoft Entra joined only
- Microsoft Entra registered only**
- Microsoft Entra hybrid joined only
- Microsoft Entra joined or Microsoft Entra registered only
- Microsoft Entra registered, Microsoft Entra joined, or Microsoft Entra hybrid joined

**Explanation:**

Answer Area

Device1:

Device2:

**QUESTION NO: 25**

Microsoft Intune を使用して個人用デバイスと企業デバイスを管理する Microsoft 365 テナントがあります。テナントには、次の図に示すように 3 台の Windows 10 デバイスが含まれています。

Name	Enabled	OS	Version	Join Type	Owner	MDM	Compliant
 LON-CL2	Yes	Windows	10.0.17763.615	Azure AD registered	User2	Microsoft Intune	Yes
 LON-CL4	Yes	Windows	10.0.17763.107	Azure AD joined	User1	Microsoft Intune	Yes

デバイスが Intune に自動的に登録された後、Intune は各デバイスをどのように分類しますか？

回答するには、回答領域で適切なオプションを選択します。

注意: 正しい選択ごとに 1 ポイントが付与されます。

Identified by Intune as a personal device:

▼

LON-CL2 only
LON-CL4 only
Both LON-CL2 and LON-CL4
Neither LON-CL2 or LON-CL4

Identified by Intune as a corporate device:

▼

LON-CL2 only
LON-CL4 only
Both LON-CL2 and LON-CL4
Neither LON-CL2 or LON-CL4

**Answer:**

Identified by Intune as a personal device:

▼

LON-CL2 only
LON-CL4 only
Both LON-CL2 and LON-CL4
Neither LON-CL2 or LON-CL4

Identified by Intune as a corporate device:

▼

LON-CL2 only
LON-CL4 only
Both LON-CL2 and LON-CL4
Neither LON-CL2 or LON-CL4

Explanation:

Identified by Intune as a personal device:

	▼
LON-CL2 only	
LON-CL4 only	
Both LON-CL2 and LON-CL4	
Neither LON-CL2 or LON-CL4	

Identified by Intune as a corporate device:

	▼
LON-CL2 only	
LON-CL4 only	
Both LON-CL2 and LON-CL4	
Neither LON-CL2 or LON-CL4	

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/devices/concept-azure-ad-join>

<https://docs.microsoft.com/en-us/azure/active-directory/devices/concept-azure-ad-register>

#### QUESTION NO: 26

注:

このセクションには、同じシナリオと問題を扱う1つ以上の質問セットが含まれています。各質問は、問題に対する独自の解決策を提示します。その解決策が、定められた目標を満たしているかどうかを判断してください。

セット内の複数の解決策が問題を解決できる可能性があります。また、セット内のどの解決策も問題を解決できない可能性もあります。

このセクションの質問に回答した後は、戻ることはできません。そのため、これらの質問はレビュー画面に表示されません。

Microsoft 365 E5

サブスクリプションをお持ちです。このサブスクリプションには、Microsoft Entraに参加し、Microsoft Intuneに登録されているデバイスが含まれています。

User1 という名前のユーザーを作成します。

User1 が Intune を使用して BitLocker

回復キーをローテーションできることを確認する必要があります。

解決策: Microsoft Entra 管理センターから、クラウド デバイス管理者のロールを User1 に割り当てます。

これは目標を満たしていますか?

A. はい

B. いいえ

**Answer:** B

#### QUESTION NO: 27

Microsoft Intuneに登録されている 1,000 台の Android デバイスを含む Microsoft 365 サブスクリプションがあります。次の設定を含むアプリ構成ポリシーを作成します。

\* デバイス登録タイプ: 管理対象デバイス

\* プロフィールタイプ: すべてのプロフィールタイプ

\* プラットフォーム: Android Enterprise

どの 2 種類のアプリをポリシーに関連付けることができますか?

正解ごとに完全なソリューションが提示されます。注: 正解の選択ごとに 1 ポイントが付与されます。

- A. Androidアプリ内蔵
- B. マネージド Google Play ストア アプリ
- C. Webリンク
- D. Android Enterprise システム アプリ
- E. Android ストア アプリ

**Answer:** B D

### QUESTION NO: 28

ネットワークには Active Directory ドメインが含まれています。ドメインには Windows 11 を実行するコンピューターが 1,000 台含まれています。

すべてのコンピューターのリモート

デスクトップ設定を構成する必要があります。ソリューションは次の要件を満たしている必要があります。

\* クリップボードの内容の共有を防止します。


\* ユーザーがネットワーク レベル認証 (NLA) を使用して認証されていることを確認します。

グループ ポリシー管理エディターのどの 2 つのノードを使用する必要がありますか?

回答するには、回答で適切なノード (a) を選択します。注: 正しい選択ごとに 1 ポイントが付与されます。



**Answer:**



Explanation:

Device and Resource Re-direct

Security

**QUESTION NO: 29**

Microsoft 365 サブスクリプションをお持ちです。

デバイスを管理するには、Microsoft Intune Suite を使用します。

次の図に示すような iOS アプリ保護ポリシーがあります。

**Access requirements**

PIN for access	Require
PIN type	Numeric
Simple PIN	Allow
Select minimum PIN length	6
Touch ID instead of PIN for access (iOS 8+/iPadOS)	Allow
Override biometrics with PIN after timeout	Require
Timeout (minutes of inactivity)	30
Face ID instead of PIN for access (iOS 11+/iPadOS)	Block
PIN reset after number of days	No
Number of days	0
App PIN when device PIN is set	Require
Work or school account credentials for access	Require
Recheck the access requirements after (minutes of inactivity)	30

**Conditional launch**

Setting	Value	Action
Max PIN attempts	5	Reset PIN
Offline grace period	720	Block access (minutes)
Offline grace period	90	Wipe data (days)
Jailbroken/rooted devices		Block access


ドロップダウンメニューを使用して、図に示された情報に基づいて各文を完成させる回答の選択肢を選択します。注: 正しい選択はそれぞれ1ポイントです。

Answer Area

After 30 minutes of inactivity, a user will be prompted for their [answer choice].

Entering the wrong PIN five times will [answer choice].

**Answer:**



Explanation:

Box 1 = PIN only

Box 2 = reset the PIN app

iOS/iPadOS app protection policy settings - Microsoft Intune | Microsoft Learn

<https://learn.microsoft.com/en-us/mem/intune/apps/app-protection-policy-settings-ios>

### QUESTION NO: 30

次の表に示すように、動的デバイス メンバーシップ  
タイプを使用するグループがあります。

Name	Syntax
Group1	(device.deviceOwnership -eq "Company")
Group2	(device.deviceOwnership -eq "Personal")

Microsoft 365 アプリを展開しています。

次の表に示すように、Microsoft Intune に登録されているデバイスがあります。

Name	Ownership	Platform
LT1	Company	Windows 10 Enterprise x64
LT2	Personal	Windows 10 Enterprise x64
LT3	Company	MacOS Big Sur

Microsoft Endpoint Manager 管理センターで、図に示すように Microsoft 365 アプリ  
アプリを作成します。([図] タブをクリックします。)

**App Information** [Edit](#)

Name	Microsoft 365 Apps for Windows 10
Description	Microsoft 365 Apps for Windows 10
Publisher	Microsoft
Category	Productivity
Show this as a featured app in the Company Portal	No
Information URL	<a href="https://products.office.com/en-us/explore-office-for-home">https://products.office.com/en-us/explore-office-for-home</a>
Privacy URL	<a href="https://privacy.microsoft.com/en-US/privacystatement">https://privacy.microsoft.com/en-US/privacystatement</a>
Developer	Microsoft
Owner	Microsoft
Notes	...
Logo	
Architecture	Teams, Word
Update channel	64-bit
Remove other versions	Current Channel
Version to install	Yes
Use shared computer activation	Latest
Accept the Microsoft Software License	No
Teams on behalf of users	No
Install background service for Microsoft	No
Search in Bing	No
Apps to be installed as part of the suite	1 language(s) selected

**Assignments** [Edit](#)

**Group mode** **Group**

**Required**

**Included** **Group1**

**Available for enrolled devices**

次の各文について、正しい場合は「はい」を選択してください。そうでない場合は「いいえ」を選択してください。

注意: 正しい選択ごとに 1 ポイントが付与されます。

Statements	Yes	No
LT1 will have Microsoft Office 365 installed	<input type="radio"/>	<input type="radio"/>
LT2 will have Microsoft Office 365 installed	<input type="radio"/>	<input type="radio"/>
LT3 will have Microsoft Office 365 installed	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
LT1 will have Microsoft Office 365 installed	<input checked="" type="radio"/>	<input type="radio"/>
LT2 will have Microsoft Office 365 installed	<input type="radio"/>	<input checked="" type="radio"/>
LT3 will have Microsoft Office 365 installed	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

Statements	Yes	No
LT1 will have Microsoft Office 365 installed	<input checked="" type="radio"/>	<input type="radio"/>
LT2 will have Microsoft Office 365 installed	<input type="radio"/>	<input checked="" type="radio"/>
LT3 will have Microsoft Office 365 installed	<input type="radio"/>	<input checked="" type="radio"/>

Reference:

<https://docs.microsoft.com/en-us/mem/intune/apps/apps-add-office365>

<https://docs.microsoft.com/en-us/mem/intune/apps/apps-deploy>

<https://docs.microsoft.com/en-us/mem/intune/apps/apps-add>

### QUESTION NO: 31

次の表に示すように、3つのサイトに Microsoft Deployment Toolkit (MDT) がインストールされています。

MDT instance name	Site	Default gateway
MDT1	New York	10.1.1.0/24
MDT2	London	10.5.5.0/24
MDT3	Dallas	10.4.4.0/24

分散ファイル システム (DFS) レプリケーションを使用して、Production という名前の共有にイメージをレプリケートします。

Bootstrap.ini ファイルで次の設定を構成します。

```
[Settings]
Priority=DefaultGateway, Default
```

```
[DefaultGateway]
10.1.1.1=NewYork
10.5.5.1=London
```

```
[NewYork]
DeployRoot=\\MDT1\Production$
```

```
[NewYork]
DeployRoot=\\MDT1\Production$
```

```
[London]
DeployRoot=\\MDT2\Production$
KeyboardLocale=en-gb
```

```
[Default]
DeployRoot=\\MDT3\Production$
KeyboardLocale=en-us
```

You plan to deploy Windows 10 to the computers shown in the following table.

Name	IP address
LT1	10.1.1.240
DT1	10.5.5.115
TB1	10.2.2.193

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

**NOTE:** Each correct selection is worth one point.

### Statements

Yes

No

TB1 will download the image from MDT3.



DT1 will have a KeyboardLocale of en-gb.



LT1 will download the image from MDT1.

**Answer:**

Statements	Yes	No
TB1 will download the image from MDT3.	<input type="radio"/>	<input checked="" type="radio"/>
DT1 will have a KeyboardLocale of en-gb.	<input checked="" type="radio"/>	<input type="radio"/>
LT1 will download the image from MDT1.	<input checked="" type="radio"/>	<input type="radio"/>

**Explanation:**

Statements	Yes	No
TB1 will download the image from MDT3.	<input type="radio"/>	<input checked="" type="radio"/>
DT1 will have a KeyboardLocale of en-gb.	<input checked="" type="radio"/>	<input type="radio"/>
LT1 will download the image from MDT1.	<input checked="" type="radio"/>	<input type="radio"/>


### QUESTION NO: 32

Windows 10 を実行するコンピューターが 200 台あります。コンピューターは Azure AD に参加し、Microsoft Intune に登録されています。壁紙とサインイン画面としてカスタムイメージを設定する必要があります。


デバイス制限構成プロファイルで構成する必要がある 2 つの設定はどれですか？

回答するには、回答領域で適切な設定を選択します。


注意: 正しい選択ごとに 1 ポイントが付与されます。



**Answer:**



Explanation:

**QUESTION NO: 33**

会社では、Azure AD、Microsoft 365、Microsoft Intune、Azure Information Protection を実装しています。会社のセキュリティ ポリシーには、次のように記載されています。

- \* 個人用デバイスを Intune に登録する必要はありません。
  - \* ユーザーは、企業の電子メール データにアクセスする前に PIN を使用して認証する必要があります。
  - \* ユーザーは個人の iOS および Android デバイスを使用して企業のクラウド サービスにアクセスできます。
  - \* ユーザーが企業の電子メールデータを Microsoft OneDrive for Business 以外のクラウド ストレージ サービスにコピーできないようにする必要があります。
- セキュリティ ポリシーを適用するにはソリューションを構成する必要があります。何を作ればよいでしょうか？

- A. Microsoft Intune 管理センターからのデバイス構成プロファイル
- B. Microsoft Purview コンプライアンス ポータルからのデータ損失防止 (DIP) ポリシー
- C. Microsoft Purview コンプライアンス ポータルからの内部リスク管理ポリシー
- D. Microsoft Intune 管理センターからのアプリ保護ポリシー

**Answer: D**

**QUESTION NO: 34**

次の表に示すデバイスを含む contoso.com という名前の Azure AD テナントがあります。

Name	Deployed by using Windows Autopilot	Azure AD status	Enrolled in Microsoft Intune
Device1	No	Joined	No
Device2	No	Joined	Yes
Device3	Yes	Joined	Yes

テナントには、次の表に示す Azure AD グループが含まれています。

Name	Member
Group1	Device1, Device2, Device3
Group2	Device2

次の図に示すように、Autopilot 展開プロファイルを追加します。

## Create profile

Windows PC

Basics
  Out-of-box experience (OOBE)
  Assignments
  **4 Review**

### Summary

#### Basics

Name	Profile1
Description	--
Convert all targeted devices to Autopilot	Yes
Device type	Windows PC

#### Out-of-box experience (OOBE)

Deployment mode	Self-Deploying (preview)
Join to Azure AD as	Azure AD joined
Skip AD connectivity check (preview)	No

#### Language (Region)

Language (Region)	Operating system default
Automatically configure keyboard	No
Microsoft Software License Terms	Hide
Privacy settings	Hide
Hide change account options	Hide
User account type	Standard
Allow pre-provisioned deployment	No
Apply device name template	No

#### Assignments

Included groups	Group1
Excluded groups	Group2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

次の表に示すデバイスを含む contoso.com という名前の Azure AD テナントがあります。

Name	Deployed by using Windows Autopilot	Azure AD status	Enrolled in Microsoft Intune
Device1	No	Joined	No
Device2	No	Joined	Yes
Device3	Yes	Joined	Yes

テナントには、次の表に示す Azure AD グループが含まれています。

**Answer Area**

Statements	Yes	No
If you reset Device1, the device will be deployed by using Autopilot.	<input type="radio"/>	<input type="radio"/>
If you reset Device2, the device will be deployed by using Autopilot.	<input type="radio"/>	<input type="radio"/>
If you restart Device3, the device will be deployed by using Autopilot.	<input type="radio"/>	<input type="radio"/>

**Answer:**

**Answer Area**

Statements	Yes	No
If you reset Device1, the device will be deployed by using Autopilot.	<input type="radio"/>	<input checked="" type="radio"/>
If you reset Device2, the device will be deployed by using Autopilot.	<input type="radio"/>	<input checked="" type="radio"/>
If you restart Device3, the device will be deployed by using Autopilot.	<input checked="" type="radio"/>	<input type="radio"/>

**Explanation:**

**Answer Area**

Statements	Yes	No
If you reset Device1, the device will be deployed by using Autopilot.	<input type="radio"/>	<input checked="" type="radio"/>
If you reset Device2, the device will be deployed by using Autopilot.	<input type="radio"/>	<input checked="" type="radio"/>
If you restart Device3, the device will be deployed by using Autopilot.	<input checked="" type="radio"/>	<input type="radio"/>

**QUESTION NO: 35**

Microsoft Intune を使用する Microsoft 365 E5 サブスクリプションがあります。次の表に示すように、Intune にアプリを追加します。

Name	App type
App1	Android store app
App2	Android line-of-business app
App3	Managed Google Play store app

Android Enterprise プラットフォーム用に、Policy1 という名前のアプリ構成ポリシーを作成する必要があります。Policy1 を使用して管理できるアプリはどれですか？

- A. App2のみ
- B. App3のみ
- C. App1 と App3 のみ
- D. App2 と App3 のみ
- E. App1、App2、および App3

**Answer: E**

Explanation:

Managed Google Play

[https://learn.microsoft.com/en-us/mem/intune/apps/app-configuration-policies-use-android#:~:text=App%](https://learn.microsoft.com/en-us/mem/intune/apps/app-configuration-policies-use-android#:~:text=App%20configuration%20policies%20in%20Microsoft%20Intune%20supply%20settings%20to%20Managed%20Google%20Play%20apps%20on%20managed%20Android%20Enterprise%20devices)

[20configuration%20policies%20in%20Microsoft%20Intune%20supply%20settings%20to%20Managed%](https://learn.microsoft.com/en-us/mem/intune/apps/app-configuration-policies-use-android#:~:text=App%20configuration%20policies%20in%20Microsoft%20Intune%20supply%20settings%20to%20Managed%20Google%20Play%20apps%20on%20managed%20Android%20Enterprise%20devices)

[20Google%20Play%20apps%20on%20managed%20Android%20Enterprise%20devices](https://learn.microsoft.com/en-us/mem/intune/apps/app-configuration-policies-use-android#:~:text=App%20configuration%20policies%20in%20Microsoft%20Intune%20supply%20settings%20to%20Managed%20Google%20Play%20apps%20on%20managed%20Android%20Enterprise%20devices)  
Line Of Business

[https://learn.microsoft.com/en-us/mem/intune/apps/app-configuration-policies-overview#:~:text=To%](https://learn.microsoft.com/en-us/mem/intune/apps/app-configuration-policies-overview#:~:text=To%20support%20app%20configuration%20through,for%20app%20protection%20policies.)

[20support%20app%20configuration%20through,for%20app%20protection%20policies.](https://learn.microsoft.com/en-us/mem/intune/apps/app-configuration-policies-overview#:~:text=To%20support%20app%20configuration%20through,for%20app%20protection%20policies.)